

GetDetailedOrderStatus API

Version History

1.0 Original version.

1.1 Added: suggestedOrgDetails parameter.

<https://secure.comodo.net/products/!GetDetailedOrderStatus>

1. Request

Required variables are in **bold**.

Optional variables are in *italics*.

Variable Name (case insensitive)	Type	Max. Length	Allowed Values	Description
loginName	string	64 chars		Account Username (case sensitive)
loginPassword	string	128 chars		Account Password (case sensitive)
<i>orderNumber</i> (either "orderNumber" or "certificateID" must be provided)	Integer		Any incomplete order number of the webhost account.	Any incomplete order number of the webhost account.
<i>certificateID</i> (either "orderNumber" or "certificateID" must be provided)	Integer	16 digits	A Certificate ID.	The internal Certificate ID of the SSL certificate.
queryType	Integer		0 = return status only 1 = return status and detailed status information 2 =return status and detailed status information as for queryType =1 and also include information about replacement orders (if any)	

2. Response

Most of Comodo's newer APIs always use URL-encoding for responses. WebHostIncompleteOrder can now be instructed to return responses in the same format, simply by specifying responseFormat=1 in the request.

3.1 MIME Type

Variable Name	Possible Value(s)
<i>Mime-Type</i>	application/x-www-form-urlencoded

3.2 Parameters

bold when always present.

italic when not always present.

Name	Possible Value(s)
errorCode	<i>Integer .</i> 0 = Successful -1 = Request was not made over https! -2 = 'xxxx' is an unrecognised argument! -3 = The 'xxxx' argument is missing -4 = The value of the 'xxxx' argument is invalid! -14 = An unknown error occurred! -16 = Permission denied! -17 = <i>Request used GET rather than POST!</i>
<i>errorMessage</i>	<i>String</i> <i>(see "Error Code" - for the possible values). This parameter is not present when errorCode = 0</i>
<i>X_orderNumber</i>	
<i>X_orderDateTime</i>	<i>Timestamp when this certificate was created.</i>
<i>X_orderStatus</i>	<i>A string describing the current status of the Order.</i>
<i>X_orderStatusReason</i>	<i>A string describing the reason of status (only relevant for rejected orders)</i>
<i>X_suggestedOrgDetails</i>	<i>If Auto Organizational validation was requested for this order – this parameter will include status of such validation as well as details of matching organizations (if found). Will include following parameters:</i> <i>Status . Indicates status of Auto Organizational Validation. Possible values:</i> <i>Found - match found (additional parameters will be added as detailed below)</i> <i>NotFound – match not found</i> <i>NotYetCompleted – the process is not completed yet</i> <i>NotApplicable – Organizational validation is not required or was already completed</i> <i>If status=found Comodo will return following details of matching organizations:</i> <i>X_organizationName – Company Name</i> <i>X_streetAddress - Street</i> <i>X_localityName - City</i> <i>X_stateOrProvinceName – State or Province</i> <i>X_postalCode – Postal/ZIP code</i> <i>X_countryName – Country 2-char code (ISO 3166-1 Alpha-2)</i> <i>X_dunsNumber - Duns number</i> <i>X_telephoneNumber – Phone number</i>
<i>X_Y_serialNumber</i>	<i>SSL certificate serial number</i>
<i>X_Y_objectType</i>	<i>Certificate Type</i>
<i>X_Y_FQDN</i>	<i>The Fully-Qualified Domain Name of this SSL Certificate.</i>
<i>X_Y_certificateStatus</i>	<i>A string describing the current status of the certificate.</i>
<i>X_Y_certificateStatusReason</i>	<i>A string describing the reason of status (only relevant for rejected or revoked certificates)</i>
<i>X_Y_csrStatus</i>	<i>CSR Status of certificate (if queryType = 1 or 2)</i> <i>-1 - not-required</i> <i>0 - not-completed</i> <i>1 - completed</i> <i>2 - in-progress</i>
<i>X_Y_dcvStatus</i>	<i>DCV Status of certificate (if queryType = 1 or 2)</i> <i>-1 - not-required</i>

	<i>0 - not-completed</i> <i>1 - completed</i> <i>2 - in-progress</i>
<i>X_Y_ovCallBackStatus</i>	<i>OV CallBack Status of account (if queryType = 1 or 2)</i> <i>-1 - not-required</i> <i>0 - not-completed</i> <i>1 - completed</i> <i>2 - in-progress</i>
<i>X_Y_organizationValidationStatus</i>	<i>A string describing the current status of account validation (OV) (if queryType = 1 or 2)</i> <i>-1 - not-required</i> <i>0 - not-completed</i> <i>1 - completed</i> <i>2 - in-progress</i>
<i>X_Y_freeDVUPStatus</i>	<i>Status of Free DV Upgrade (if queryType = 1 or 2)</i> <i>-1 - not-required</i> <i>0 - not-completed</i> <i>1 - completed</i> <i>2 - in-progress</i>
<i>X_Y_evClickThroughStatus</i>	<i>Status of EV ClickThrough Acceptance (if queryType = 1 or 2)</i> <i>-1 - not-required</i> <i>0 - not-completed</i> <i>1 - completed</i> <i>2 - in-progress</i>